

Santa Cruz County Environmental Health Body Art Program

Studio Floor Plan Requirements

Draw to scale. Each item below must be drawn on plan AND described in a side bar or separate page.

- 1) Procedure area and equipment, including handwash sink

Procedure area must be separated from nail and hair activities by a wall. Handwash sink must be supplied with hot & cold running water through mixing faucet and have a wall mounted, covered touchless paper towel dispenser and pump soap.

- 2) Bathroom

Handwash sink must be supplied with hot & cold running water through mixing faucet and have a wall mounted, covered touchless paper towel dispenser and pump soap.

- 3) Sharps containers.

If Sharps mail back is used, show the location of the prepaid return shipping box. If any full containers are stored, show their location. A full sharps container may not be stored longer than 30 days without specific written permission from EHS.

- 4) Autoclave/decontamination room

Must be at least 5' away from any procedure area OR separated by a cleanable barrier. Include the decontamination sink, "hot & cold running water through mixing faucet, and covered touchless, wall mounted paper towel dispenser" on the plan.

- 5) Hot water heater size, fuel source, & location.

If the appliance is within a business other than the body art studio, please describe what will occur if and when the appliance does not work properly in your IPCP.

- 6) Finish surface details of these procedure area and bathroom must be on the plan and they all must be smooth, clean, and washable:

Walls

Floors

Ceiling

Equipment surfaces

Brick, concrete block, rough concrete, rough plaster or heavily textured gypsum board are not acceptable

- 6) Employee break area

- 7) Locate the openable windows and door, including screens, on the plan. Facility must have either screened doors and openable, screened windows or air conditioning.

- 8) Home Studios – must be separate from any residential areas used for sleeping, bathing, or meal preparation.

A body art facility associated with a residential dwelling shall have a separate entrance and toilet facility and shall not have a door allowing direct access between the body art facility and the residential dwelling.